A

Consolidated Alloys Hydrochloric Acid 6N

Consolidated Alloys

Chemwatch: 33-8518 Version No: 2.1.1.1 Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 3 Issue Date: 01/01/2013

Print Date: 27/03/2015 Initial Date: Not Available S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Consolidated Alloys Hydrochloric Acid 6N
Synonyms	Hydrochloric Acid 6N
Proper shipping name	HYDROCHLORIC ACID
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.
--------------------------	---

Details of the manufacturer/importer

Registered company name	Consolidated Alloys
Address	32 Industrial Avenue Thomastown 3074 VIC Australia
Telephone	+61 3 9359 5811
Fax	+61 3 9359 4076
Website	Not Available
Email	Not Available

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0	1	
Toxicity	2		0 = Minimum
Body Contact	3		1 = Low 2 = Moderate
Reactivity	1		3 = High
Chronic	2	1	4 = Extreme

Poisons Schedule	S6
GHS Classification ^[1]	Metal Corrosion Category 1, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Label elements

GHS label elements



SIGNAL WORD	DANGER
azard statement(s)	
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
recautionary statement(s)	Prevention
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P234	Keep only in original container.
P270	Do not eat, drink or smoke when using this product.
recautionary statement(s)	Response
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician/first aider
recautionary statement(s)	Storage
	Store locked up.

Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

P501

Mixtures

CAS No	%[weight]	Name
7647-01-0	30-60	HYDROCHLORIC ACID 33%
7732-18-5	30-60	water

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Issue Date: 01/01/2013 Print Date: 27/03/2015

Consolidated Alloys Hydrochloric Acid 6N

Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

- For acute or short term repeated exposures to strong acids:
 - Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
 - Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
 - Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
 - Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues.

INGESTION:

- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- > Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

If exposure has been severe and/or symptoms marked, observation in hospital for 48 hours should be considered due to possibility of delayed pulmonary oedema.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

 Water spray or fog. Foam. Dry chemical powder. BCF (where regulations permit).

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course.
	Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Contains low boiling substance: Storage in sealed containers may result in pressure buildup causing violent rupture of containers not rated appropriately. • Check for bulging containers. • Vent periodically • Always release caps or seals slowly to ensure slow dissipation of vapours • DO NOT allow clothing wet with material to stay in contact with skin • Avoid all personal contact, including inhalation. • Wear protective clothing when risk of exposure occurs.

Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.
Conditions for safe storag	ge, including any incompatibilities
Suitable container	 DO NOT use aluminium or galvanised containers Check regularly for spills and leaks Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer.
Storage incompatibility	 Inorganic acids are generally soluble in water with the release of hydrogen ions. The resulting solutions have pH's of less than 7.0. Inorganic acids neutralise chemical bases (for example: amines and inorganic hydroxides) to form salts - neutralisation can generate dangerously large amounts of heat in small spaces. The dissolution of inorganic acids in water or the dilution of their concentrated solutions with additional water may generate significant heat.

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Australia Exposure Standards HYDROCHLORIC ACID 33% Hydrogen chloride Not Available Not Available 7.5 mg/m3 / 5 ppm Not /	Source	Ingredient	Material name	TWA	STEL	Peak	Notes
	Australia Exposure Standards	HYDROCHLORIC ACID 33%	Hydrogen chloride	Not Available	Not Available	7.5 mg/m3 / 5 ppm	Not Available

EMERGENCY LIMITS				
Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
hydrochloric acid	Hydrogen chloride; (Hydrochloric acid)	Not Available	Not Available	Not Available
hydrochloric acid	Deuterochloric acid; (Deuterium chloride)	1.8 ppm	22 ppm	100 ppm

Ingredient	Original IDLH	Revised IDLH
HYDROCHLORIC ACID 33%	100 ppm	50 ppm
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit.
Thermal hazards	Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the: "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the computer-

Respiratory protection

Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the

Powered Air

Respirator

Consolidated Alloys Hydrochloric Acid 6N

generated selection:

Consolidated Alloys Hydrochloric Acid 6N

Material	СРІ
BUTYL	A
NEOPRENE	A
NATURAL RUBBER	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

varies with Type of filter. **Required Minimum**

Protection Factor Respirator

up to 10 x ES	B-AUS P2	-	B-PAPR-AUS / Class 1 P2
up to 50 x ES	-	B-AUS / Class 1 P2	-
up to 100 x ES	-	B-2 P2	B-PAPR-2 P2 ^

Full-Face

Respirator

Degree of protection varies with both face-piece and Class of filter; the nature of protection

"Exposure Standard" (or ES), respiratory protection is required.

Half-Face

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Information on basic physical and chemical properties

Appearance	Acidic liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness. Inhalation of quantities of liquid mist may be extremely hazardous, even lethal due to spasm, extreme irritation of larynx and bronchi, chemical pneumonitis and pulmonary oedema. Hydrogen chloride (HCI) vapour or fumes present a hazard from a single acute exposure.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident.
Skin Contact	The material can produce chemical burns following direct contact with the skin. Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.

Eye	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns.		
Chronic	There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Irritation of airways to lung, with cough and inflammation of lung tissue often occurs.		
Consolidated Alloys	TOXICITY	IRRITATION	
Hydrochloric Acid 6N	Not Available	Not Available	
	тохісіту	IRRITATION	
HYDROCHLORIC ACID 33%	Inhalation (rat) LC50: 3124 ppm/1h ^[2]	Eye (rabbit): 5mg/30s -	mild
	Oral (rat) LD50: 900 mg/kg ^[2]		
	тохісіту	IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg ^[2]	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's msds. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
	No significant acute toxicological data identified in literature search.		
Consolidated Alloys Hydrochloric Acid 6N	No significant acute toxicological data identified in literature search. for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelia	may protect the cells of the	ne airways from direct exposure to inhaled acidic
	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion	may protect the cells of the m from its auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with rflow pattern, on spirome	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelic Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min	may protect the cells of the m from its auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with rflow pattern, on spirome	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N HYDROCHLORIC ACID 33%	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelin Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min in the criteria for diagnosis of RADS. No significant acute toxicological data identified in literature search.	may protect the cells of the minimum from its auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with fflow pattern, on spirome mal lymphocytic inflamma	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N HYDROCHLORIC ACID 33% WATER	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelia Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min in the criteria for diagnosis of RADS. No significant acute toxicological data identified in literature search.	may protect the cells of the minimum from its auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with fflow pattern, on spirome mal lymphocytic inflamma	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N HYDROCHLORIC ACID 33% WATER Acute Toxicity	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelii Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following u diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min in the criteria for diagnosis of RADS. No significant acute toxicological data identified in literature search.	may protect the cells of the m from its auto-secreted of the material ceases. This exposure to high levels of hon-atopic individual, with fflow pattern, on spirome mal lymphocytic inflamma	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N HYDROCHLORIC ACID 33% WATER Acute Toxicity Skin Irritation/Corrosion Serious Eye	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epithelii Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following u diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min in the criteria for diagnosis of RADS. No significant acute toxicological data identified in literature search.	may protect the cells of the material ceases. This auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with rflow pattern, on spirome mal lymphocytic inflamma frecinogenicity of the productivity of the pro	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe
Hydrochloric Acid 6N HYDROCHLORIC ACID 33% WATER Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are the respiratory tract have not been examined in this respect. Mucous secretion mists, just as mucous plays an important role in protecting the gastric epitheliu Asthma-like symptoms may continue for months or even years after exposure t as reactive airways dysfunction syndrome (RADS) which can occur following - diagnosis of RADS include the absence of preceding respiratory disease, in a within minutes to hours of a documented exposure to the irritant. A reversible a bronchial hyperreactivity on methacholine challenge testing and the lack of min in the criteria for diagnosis of RADS. No significant acute toxicological data identified in literature search. Ca	may protect the cells of the material ceases. This auto-secreted to the material ceases. This exposure to high levels of non-atopic individual, with rflow pattern, on spirome mal lymphocytic inflamma frecinogenicity or gle Exposure of the second s	e airways from direct exposure to inhaled acidic hydrochloric acid. s may be due to a non-allergenic condition known highly irritating compound. Key criteria for the abrupt onset of persistent asthma-like symptoms try, with the presence of moderate to severe

CMR STATUS

Not Applicable

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Prevent, by any means available, spillage from entering drains or water courses. DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
HYDROCHLORIC ACID 33%	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
HYDROCHLORIC ACID 33%	LOW (LogKOW = 0.5392)
water	LOW (LogKOW = -1.38)

Ingredient	Mobility
HYDROCHLORIC ACID 33%	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

	Containers may still present a chemical hazard/ danger when empty.
	Return to supplier for reuse/ recycling if possible.
Product / Packaging	Otherwise:
disposal	If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, ther puncture containers, to prevent re-use, and bury at an authorised landfill.
	Where possible retain label warnings and MSDS and observe all notices pertaining to the product.

SECTION 14 TRANSPORT INFORMATION

1

Labels Required

Marine Pollutant	NO
HAZCHEM	2R

Land transport (ADG)

Land transport (ADG)		
UN number	1789	
Packing group	II	
UN proper shipping name	HYDROCHLORIC ACID	
Environmental hazard	No relevant data	
Transport hazard class(es)	Class 8 Subrisk Not Applicable	
Special precautions for user	Special provisions Not Applicable Limited quantity 1 L	

Air transport (ICAO-IATA / DGR)

UN number	1789		
Packing group	II		
UN proper shipping name	Hydrochloric acid		
Environmental hazard	No relevant data		
Transport hazard class(es)	ICAO/IATA Class 8 ICAO / IATA Subrisk Not Applicable ERG Code 8L		
	Special provisions	A3A803	
	Cargo Only Packing Instructions	855	
	Cargo Only Maximum Qty / Pack	30 L	
Special precautions for user	Passenger and Cargo Packing Instructions	851	
	Passenger and Cargo Maximum Qty / Pack	1L	
	Passenger and Cargo Limited Quantity Packing Instructions	Y840	
	Passenger and Cargo Limited Maximum Qty / Pack	0.5 L	

Sea transport (IMDG-Code / GGVSee)

UN number	1789
Packing group	П
UN proper shipping name	HYDROCHLORIC ACID
Environmental hazard	Not Applicable
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable

Special precautions for user	EMS Number F-A , S-B
	Special provisions Not Applicable
	Limited Quantities 1 L

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk	HYDROCHLORIC ACID 33%	Z

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

HYDROCHLORIC ACID 33%(7647-01-0) is found on the following regulatory lists	"Australia Exposure Standards", "International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs", "Australia Inventory of Chemical Substances (AICS)", "Australia Hazardous Substances Information System - Consolidated Lists"
water(7732-18-5) is found on the following regulatory lists	"Australia Inventory of Chemical Substances (AICS)"
National Inventory	Status
National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.